

The Honorable Commissioner of  
Patents and Trademarks  
Box Patent Application  
Washington, D.C. 20231

NEW APPLICATION TRANSMITTAL

Transmitted herewith for filing is the patent application of

Inventor: Douglas M. Sheffield, Jr.

For: VACUUM ACTUATED DISPLAY ORNAMENTS

1. This new application is for an original patent.
2. Papers enclosed which are required for filing date under  
37 CFR 1.53(b) application

- 11 pages of specification
- 2 pages of claims
- 1 page of Abstract
- 5 sheets of drawing
  - ☐ Formal
  - ☒ Informal
- X Check # 2615 for \$385.00
- X Stamped, self-addressed return post card

3. Additional Papers Enclosed


- ☐ Preliminary Amendment
- ☐ Information Disclosure Statement
- ☐ Form PTO-1449
- ☐ Citations
- ☐ Declaration of Biological Deposit
- ☐ Authorization of Attorney(s) to Accept and Follow  
Instruction from Representative
- ☐ Special Comments
- ☐ Other

4. Declaration or Oath

☒ Enclosed, executed by (check all applicable)

- ☒ inventor
- ☐ legal representative of inventor(s).  
37 CFR 1.42 or 1.43
- ☐ joint inventor or person showing a proprietary  
interest on behalf of inventor who refused to sign  
or cannot be reached.

70595 U.S. PTO



08/19/97

456789-5344680

☐ This is the petition required by 37 CFR 1.47 and the statement required by 37 CFR 1.47 is also attached.

☐ Not enclosed

☐ Application is made by a person authorized under 37 CFR 1.47(c) on behalf of all the above named inventor(s). The declaration or oath, along with the surcharge required by 37 CFR 1.16(e) can be filed subsequently.

☐ Showing that the filing is authorized.

(Not required unless called into question. 37 CFR 1.41(d).)

## 5. Inventorship Statement

The inventorship for all the claims in this application is/are:

☒ The same  
(or)

☐ Are not the same. An explanation, including the ownership of the various claims at the time the last claimed invention was made,

☐ is submitted.

☐ will be submitted.

## 6. Assignment

☐ An assignment of the invention to \_\_\_\_\_

☐ is attached.

☐ will follow.

## 7. Fee Calculation (37 CFR 1.16)

### CLAIMS AS FILED

	Number Filed		Number Extra		Rate	Basic Fee \$770.00
Total Claims	5	- 20 =	0	x	\$ 22.00	\$ 0.00
Independent Claims (37 CFR 1.16(b))	1	- 3 =	0	x	\$ 80.00	\$ 0.00
Multiple dependent claim(s), if any (37 CFR 1.16(d))			0	x	\$260.00	\$ 0.00

☐ Fee for extra claims is not being paid at this time.

(37 CFR 1.16(d))

Note: If the fees for extra claims are not paid on filing, they must be paid or the claims canceled by amendment, prior to the expiration of the time period set for response by the PTO in any notice of fee deficiency.  
37 CFR 1.16(d).

Filing Fee Calculation \$ 770.00

8. Small Entity Statement

☐ Verified Statement that this is a filing by a small entity under 37 CFR 1.9 and 1.27 will follow.

Filing Fee Calculation (50% of above) \$ 385.00

9. Fee Payment Being Made At This Time

☐ Not enclosed.  
☐ No filing fee is to be paid at this time.  
(This and the surcharge required by 37 CFR 1.16(e) can be paid subsequently.)

☒ Enclosed.  
☐ Basic fee \$ 385.00  
☐ Recording assignment (\$40.00; 37 CFR 1.21(h)) \$ \_\_\_\_\_

Total fees enclosed \$ 385.00

10. Method of Payment of Fees

☒ Check in the amount of \$ 385.00.


☐ Charge Account No. \_\_\_\_\_ in the amount of \$ \_\_\_\_\_. A duplicate of this transmittal is attached.

Respectfully submitted,

PEOPLES & HALE


Date:

8/19/97

  
Veo Peoples, Jr., Reg. No. 27048  
1221 Locust Street, Suite 310  
St. Louis, Missouri 63103  
(314) 231-9775

CERTIFICATION UNDER 37 CFR 1.10

I hereby certify that this New Application Transmittal and the documents referred to as enclosed therein are being deposited with the United States Postal Service on this 19th day of August, 1997, in "Express Mail" envelope, label no. EI578020559US, addressed to the: Commissioner of Patents and Trademarks, Box Patent Application, Washington, D.C. 20231.

  
Judith F. Till

11082.3jft

VACUUM ACTUATED DISPLAY ORNAMENTS

Background of the Invention

1. FIELD OF INVENTION.

This invention relates to display ornaments and, more specifically, to display ornaments which intimately adhere to surfaces, such as the glass surface of a bathroom mirror, through self-suction.

2. BRIEF DESCRIPTION OF PRIOR ART.

A multitude of adhesive display ornaments are provided to the general public for the purpose of advertising and promotion. Typically, an ornament is given to a customer, who in turn mounts the ornament to a convenient surface for future reference. However, once the ornament has been mounted several problems arise. The ornament itself may deteriorate or the message on the ornament becomes dated, creating the desire to remove the ornament. Removal of the ornament all too often leads to substrate damage from the adhesive used or an unsightly residue may remain.

In an effort to eliminate this problem, an alternative class of display ornaments, such as magnetic backed ornaments, has been created for temporary display of information without damaging the underlying substrate. For example, these ornaments enable one to temporarily display invaluable health-related information in a convenient location, such as the front panel of a refrigerator, for quick access during an emergency. However, such an ornament suffers the disadvantage of being limited to use on metal sub-

strates. We believe that a customized display ornament which affords one the opportunity to temporarily display information from a variety of locations, such as a bathroom mirror, a ceramic shower surround or the front panel of a refrigerator, would be a welcomed advancement to the art.

### SUMMARY OF THE INVENTION

The present invention comprises an improved display ornament which adheres to substrates such as metal, plastic or glass, through self-suction. Said ornaments have predetermined shapes and are formed from a unitary or one-piece sheet of flexible material, preferably resinous thermoplastic material. Said shaped and flexible materials have a convex exterior surface and a concave interior surface, both of which are suitable for affixing a printed message. The interior surface of said ornament forms a concave cavity of measurable depth. Said cavity enables said ornament to adhere to surfaces when said cavity is compressed against a surface, which in turn creates an adhesive force through vacuum suction when said ornament flexes as it attempts to return to its original shape. The wall thickness of said ornament can be uniform but, preferably, the wall thickness varies, with the general area containing the center of mass (M) of said ornament being about 1/8" thick, and tapering to approximately 1/16" thick along its periphery. The periphery of said ornaments is custom shaped to meet the specific decorative requirement of the manufacturer.

## BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a top perspective of the convex exterior surface of one embodiment of a display ornament in accordance with said invention.

5        Figure 2 is a cross-sectional view of one end of the display ornament along line 2-2 of Figures 1 and 5.

Figure 3 is a side perspective of said embodiment in a pre-compressed shape as viewed from the direction of line 3-3.

10       Figure 4 is a frontal perspective of said embodiment in a pre-compressed shape as viewed from the direction of line 4-4.

Figure 5 is a side perspective of said embodiment in a pre-compressed shape as viewed from the direction of line 2-2.

Figure 6 is a top perspective of the convex exterior surface of a symmetrical, rectangularly shaped display ornament.

15       Figure 7 is a side view of the ornament of Figure 6 when said ornament is resting on a substrate while in a "relaxed" shape.

20       Figure 8 is a side view of the ornament of Figure 6 when said ornament rests on a substrate when in a flattened, compressed shape.

Figure 9 is a top view of the convex exterior surface of an unsymmetrical, house-shaped display ornament.

25       Figure 10 is a side perspective of Figure 9 from the direction of line 3-3 of Figure 1 when said ornament is resting on a substrate while in a "relaxed" shape.

Figure 11 is a side perspective of Figure 9 from the direction of line 3-3 of Figure 1 when said ornament rests on a substrate when in a flattened, compressed shape.

Figure 12 is a top view of the convex exterior surface of an unsymmetrical, house shaped display ornament having a symmetrically shaped conical core.

Figure 13 is a side view of Figure 12 and said core when said ornament rests on a substrate when in a "relaxed" shape.

Figure 14 is a side view of Figure 12 and said core when said ornament rests on a substrate when in a flattened, compressed shape.

Figures 15 to 18 depict various embodiments of display ornaments made in accordance with said invention.

#### DETAILED DESCRIPTION OF THE INVENTION

Referring first to Figures 1 to 5, one embodiment of a display ornament, made in accordance with the invention, comprises simply a unitary, flexible sheet of material which forms a predetermined shape of a house. Said ornament has a convex exterior surface 1 and a concave interior surface 2, both of which are suitable for affixing a printed message. The interior surface of said ornament forms a concave cavity 3 of measurable depth as illustrated in Figure 2. Periphery 4 of said ornament is custom shaped, for example, to form the shape of a house, to suit the design requirements of the manufacturer.

Interior concave cavity 3 of said ornament can be seen in Figures 10 and 11. The interior concave cavity of said ornament



enables adhesion to surfaces by generating a vacuum suction when said ornament is in a flattened, compressed shape as illustrated in Figure 11. When in said compressed shape, periphery 4 of said ornament rests snugly against substrate 5 so as to form a continuous seal. Said seal maintains the vacuum suction force generated within the interior concave cavity of said ornament. It should be noted that, depending on the selected embodiment of said ornament, beveled periphery 4 does not necessarily lie continuously flush against substrate 5 when in a pre-compressed shape as illustrated in Figure 10. However, when compressed, said periphery in turn properly mates against substrate 5 to form a continuous seal, thereby enabling attachment to said substrate.

The shape of said display ornament is preferably molded from a flexible sheet of thermoplastic resinous material such as vinyls, e.g., polyvinyl chloride. The wall thickness of said ornament can be uniform, in the case of symmetrical shapes, but for non-symmetrical shapes, the wall thickness must vary with the general area containing the center of mass M of said ornament being, for example, about 1/8" thick for polyvinyl chloride, and tapering to approximately 1/16" thick along periphery 4 when the object has a surface area of about 5 square inches; that is, taper is 50%. Tapering the wall thickness is required when constructing irregular and/or unsymmetrically shaped display ornaments.

Referring to Figures 6 to 8, we have found that when a symmetrically shaped ornament having uniform wall thickness, such as

a rectangular shaped ornament, is compressed, then an upward/  
outward flexural force 16 is generated which, in turn, generates  
horizontal, frictional force 17 as said ornament flexes in an  
effort to return to its original pre-compressed shape. It is  
5 believed said force is uniformly distributed throughout the  
periphery of said ornament, and can be equally divided into two  
parts by a plane of symmetry which bisects said ornament. The  
magnitude of said force is directed along said plane of symmetry  
and perpendicular to horizontal plane 15 on which said ornament  
10 rests as illustrated in Figure 8. As a result, adhesion to  
horizontal plane 15 is achieved, since the uniformly distributed  
force in turn causes an even vacuum seal to be formed along  
periphery 14 of said symmetrical ornament. However, a plane of  
symmetry does not exist in the case of irregular or unsymmetri-  
15 cally shaped display ornaments as illustrated in Figure 9.  
Therefore, when an unsymmetrically shaped display ornament,  
having uniform wall thickness, is compressed and attempts to  
"flex" back into its original pre-compressed shape, then an  
irregular flexural force 6 is generated. Consequently, an  
20 irregular horizontal, frictional force 7 is generated in refer-  
ence to a plane which attempts to bisect said ornament as well.  
As a result, adhesion to surfaces is adversely affected, since  
portions of periphery 4 are subjected to varying degrees of  
force, thereby enabling portions of said periphery to pull away  
25 from the surface of attachment and releasing the vacuum seal  
formed along periphery 4 as illustrated in Figure 10.

465T80" 834T680

We have found that this problem can be overcome by molding the curved body of said ornament in a manner whereby the wall thickness of the central portion of said ornament tapers by 50% (for shapes having surface areas from 3 in<sup>2</sup> to 25 in<sup>2</sup>). This forms a symmetrically shaped core about the general area encompassing center of mass M of said ornament as illustrated in Figures 12 to 14. Said core is particularly of value because it provides a localized region within said irregularly or unsymmetrically shaped ornament which itself is symmetrical in reference to an axis of rotation located at center of Mass M of said ornament.

Referring to Figures 13 and 14, we have discovered that said region helps stabilize the irregular flexural properties associated with irregularly or unsymmetrically shaped ornaments by generating a flexural force  $\delta$  which is itself uniformly distributed and concentrated throughout the central cavity area of said ornament. Therefore, the primary function of said core is to provide a secondary flexural force of magnitude capable of compensating for the irregular flexural force associated with the overall irregular shape of said ornament.

Preferably, said core is conical shaped. It is believed an unlimited combination of cavity dimensions exists, such as base width and cavity depth, which will enable said core to generate a flexural force capable of offsetting said irregular flexural forces. For example, we have found that the overall area of, and weight contained within, a conical shaped core can vary greatly

depending on the material used to construct said ornament and the selected embodiment of the invention. For example, when using polyvinyl chloride to construct an ornament similar to the embodiment illustrated in Figure 12, it is discovered that the core occupies approximately 57% of the total area of said ornament, and at least 75% of the overall weight of said ornament is contained within said core. Whereas, when molding the embodiment illustrated in Figure 15, it is found that a conical shaped core is formed such that it occupies at least 42% of the total area of said ornament, and contains at least 50% of the overall weight of said ornament. Preferably, the overall area of said ornament is from about 3 square inches to about 25 square inches, and the depth of interior concave cavity 3 at the center of mass M is at least about 1/2", given the above described features of said conical core.

The periphery of the display ornament is custom shaped so as to provide the manufacturer with a degree of flexibility in meeting their design requirements. For example, Figure 15 depicts a display ornament customized for display in a local pet shop. Figure 17 is illustrative of a display ornament having customized shape in the form of a tooth for display in a dental office, whereas said ornament might be shaped in the form of an apple when addressing the display objective of a local produce store as illustrated in Figure 18.

We have identified a number of manufacturing processes which can be utilized to mold the curved body of said display ornament.

One useful method is injection molding. When injection molding said ornament, it is believed an extreme amount of pressure is applied to force a pelletized form of the material, such as vinyls, into a cavity heated to a specified temperature. Once the material has filled the cavity and the desired shape formed, the part is then ejected from the cavity, allowed to cool and the cycle repeated.

The curved body of said injection molded ornament can be utilized to conveniently display information. For example, information can be displayed by directly printing, such as silk-screening, pad printing, etc., on the surface of said ornament. Another method would be to affix a label to the curved body of said ornament. A label can be affixed to said body by using an adhesive, or some other mechanism, such as heat. Preferably, heat is applied to affix said label to said body by using a process commonly referred to as In Mold Labeling. In Mold Labeling is a process whereby a label is mechanically inserted into the cavity of an injection molding tool at some point during the injection molding phase of said ornament. Said inserted label is therefore directly molded into the body of said ornament. It is believed that In Mold Labeling is a cost efficient method of affixing information to said ornament because it allows one to both mold and affix information to said ornament in one step.

Another method of molding the curved body of said ornament is to die cut said ornament from a flat, flexible sheet of

material, and then molding the die cut piece into the desired conical shaped ornament. It is believed said method entails the preprinting of a specified number of the desired shape and related information onto a flat sheet of flexible material.

Preferably, each shape is then die cut from the flat sheet by using two heated surfaces which mate. One of the mated surfaces should serve to impart a convex shape to the exterior portion of said ornament, while the other imparts a concave shape to the interior surface of said ornament. The primary function of the heated surfaces is to facilitate molding of the flat, die cut pieces into the desired conical shape. Secondly, it is preferred said surface or surfaces provide a means for cutting said pieces from said flat sheet of flexible material when said surfaces press against said flat material.

It is believed some type of mechanical means, such as an air actuated mechanism, should be utilized to hold the flat, die cut pieces in place between said mated surfaces. Said air actuated feature would ensure said pieces are properly oriented and firmly held in place against said surfaces until the applied heat has molded said pieces into the desired conical shaped ornament.

It is believed this method of molding said ornament is more valuable than injection molding, because it dramatically reduces the time required to print on said ornament. Secondly, this method makes it possible for a manufacturer to conveniently store numerous flat sheets of said printed ornaments until said ornaments are to be molded into finished, conical shaped ornaments.

This, in turn, reduces the inventory space required to store said premolded pieces until the subsequent molding process is utilized to convert said flat sheets into finished, molded ornaments.

We have identified some additional beneficial characteristics of the material utilized to mold the curved body of said ornament. Preferably, said flexible material has a degree of tackiness. Said feature is believed to enhance the vacuum adhesive properties of said ornament by improving the vacuum seal formed along said periphery. Secondly, it is desired that said material has a degree of friction generating capabilities. It is believed said property is useful because it will impede the tendency of said compressed ornament to flex out of said shape and slide over a surface of attachment. Therefore, the purpose of said frictional property is to increase the energy barrier required to overcome the adhesive suction force generated when said ornament is compressed.

Although the present invention has been described in conjunction with preferred embodiments, it is to be understood that modifications and variations may be resorted to without departing from the spirit and scope of the invention as those skilled in the art will readily understand. Such modifications and variations are considered to be within the purview and scope of the invention and the appended claims.

What is claimed:

1. A unitary, one-piece display ornament comprising a pre-determined symmetrical shape made from a flexible sheet of material, having contoured walls which form a convex exterior surface and a concave interior surface, both of which are suitable for affixing a printed message, said interior surface being capable of adhering to substrates when compressed against a substrate; the wall thickness of said ornament can be uniform, the surface area being from about 3 square inches to about 25 square inches.

2. The ornament of Claim 1 having a flexible, irregular or unsymmetrical shape, having contoured walls forming an exterior and an interior surface, with the interior surface capable of generating a vacuum when said ornament is compressed, with the exterior and interior surfaces suitable for affixing a message, and said ornament's periphery being at a wall thickness 50% less than at its center of mass.

3. The flexible ornament according to Claim 2, wherein the contoured walls of said irregular shaped ornament are tapered gradually from 1/8-inch thickness at the center of mass to 1/16-inch thickness at the periphery.

4. The flexible ornament according to Claim 2, wherein said tapered walls form a uniform, conical shaped core containing the center of mass M of said ornament.

5. The flexible ornament according to Claim 2, wherein said core occupies at least 40% of the total area of said



ornament, and contains at least 50% of the overall mass of said ornament.

11080jft

2025 RELEASE UNDER E.O. 14176

**VACUUM ACTUATED DISPLAY ORNAMENTS**

**ABSTRACT**

Improved vacuum actuated display ornaments which adhere to surfaces by self-suction are improved by a wall thickness at the center of mass thicker than their peripheral wall thickness.

5

465420" 8334T680







Fig. 6




Fig. 7






Fig. 8



RECEIVED - OCT 19 1966

Fig. 9



Anne attempts to bisect ornament

Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 14




Fig. 17





Fig. 18



2025 RELEASE UNDER E.O. 14176

**COMBINED DECLARATION AND POWER OF ATTORNEY  
CO-PENDING APPLICATION  
CONTAINING ADDITIONAL SUBJECT MATTER**

As below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled *VACUUM ACTUATED DISPLAY ORNAMENTS*, the specification of which was filed on August 19, 1997, as Serial No. \_\_\_\_\_, and was amended on \_\_\_\_\_ and \_\_\_\_\_, 19\_\_

This application in part discloses and claims subject matter disclosed in our earlier filed pending application, Serial no. 08/212,150, filed March 14, 1994.

**PCT FILED APPLICATION ENTERING NATIONAL STAGE**

c. ☐ was described and claimed in International Application No. \_\_\_\_\_ filed on \_\_\_\_\_ and as amended on \_\_\_\_\_ (if any).

**ACKNOWLEDGEMENT OF REVIEW OF PAPERS AND DUTY OF CANDOR**

I hereby state that I have reviewed and understand the content of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56(a).

☒ In compliance with this duty there is attached an information disclosure statement. 37 CFR 1.97.

**PRIORITY CLAIM**

☐ I hereby claim foreign priority benefits under Title 35, United States Code §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed.



[ ] The attached 35 U.S.C. §119 claim for priority for the U.S. application(s) listed below forms a part of this declaration.

<u>Country</u>	<u>Application Number</u>	<u>Date of Filing (day, month, year)</u>	<u>Date of issue (day, month, year)</u>	<u>Priority Claimed</u>
				[ ] YES [ ] NO
				[ ] YES [ ] NO
				[ ] YES [ ] NO

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

<u>08/212,150</u>	<u>3/14/94</u>	<u>Pending</u>
(Application Serial No.)	(Filing date)	(Status: patented, pending, abandoned)

#### DECLARATION

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

#### POWER OF ATTORNEY

I hereby appoint the following attorneys and/or agents with full power of substitution and revocation, to prosecute this application, to receive the patent, and to transact all business in the Patent and Trademark Office connected therewith: Veo Peoples, Jr. (Reg. no. 27048) of Peoples & Hale whose address is: 1221 Locust Street, Suite 310, St. Louis, Missouri 63103-2364.

I hereby specify the following as the correspondence address to which all communication about this application are to be directed:

SEND CORRESPONDENCE TO:

DIRECT TELEPHONE CALLS TO:

Veo Peoples, Jr.  
Peoples & Hale  
1221 Locust Street, Suite 310  
St. Louis, MO 63103-2364

Veo Peoples, Jr.  
(314) 231-9775

---

Full name of sole inventor: Douglas M. Sheffield, Jr.

Inventor's Signature\* Douglas M. Sheffield, Jr. 8-17-97  
Date

Residence St. Louis, Missouri

Citizenship USA

Post Office Address 11450 Daykin Drive, St. Louis, MO 63146

---

\* Before signing this declaration, each person signing must:

1. Review the declaration and verify the correctness of all information therein; and
2. Review the specification and the claims, including any amendments made to the claims. After the declaration is signed, the specification and claims are not to be altered.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Douglas M. Sheffield, Jr.

Serial no.:

Filed:

For: **VACUUM ACTUATED DISPLAY ORNAMENTS**

**VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS  
(37 CFR 1.9(f) and 1.27(b) - INDEPENDENT INVENTOR)**

As below-named inventor, I hereby declare that I qualify as sole inventor as defined in 37 CFR 1.9(c) for purposes of paying reduced fees under Section 41(a) and (b) of Title 35, United States Code, to the Patent and Trademark Office with regard to the invention, entitled

**"VACUUM ACTUATED DISPLAY ORNAMENTS"**

by inventor Douglas M. Sheffield, Jr., described in

  X   the specification filed herewith.  
       application Serial No. 0 /       , filed August 19, 1997.  
       Patent No.                   , issued                                 .

I have not assigned, granted, conveyed or licensed and am under no obligation under contract or law to assign, grant, convey or license any rights in the invention to any person who could not be classified as an independent inventor under 37 CFC 1.9(c) if that person had made the invention, or to any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

Each person, concern or organization to which I have assigned, granted, conveyed, or licensed or are under an obligation under contract or law to assign, grant, convey or license any rights in the invention is listed below.

  X   No such person, concern or organization  
       Persons, concerns or organizations listed below\*

